

SCL STERLING

THIN-X LATEX PAINT THINNER

Page 1

0806

SAVOGRAN COMPANY
PO Box 130
Norwood, MA 02062-0130
Telephone: 781-762-5400

Date Prepared September 7, 2005
Product Number 1200

SECTION 1

Product Name: Thin-X Latex Paint Thinner

Chemical Name: Not Applicable

Family: Not Applicable

SCL Code: 0806

SECTION II-A

PRODUCT – INGREDIENT

The composition of this mixture is proprietary information. In the event of medical emergency, compositional information will be provided to physician or nurse.

Acute Health	Fire	Reactivity	Hazard Rating		
0	0	0	Least – 0	Slight – 1	Moderate – 2
			High – 3	Extreme – 4	

SECTION II-B

ACUTE TOXICITY DATA

There have been no medical conditions reported as being aggravated by exposure.

SECTION III

HEALTH INFORMATION

The health effects noted below are consistent with requirements under the OSHA hazard communication standard (29 CFR 1910.1200).

Eye Contact

Irritating and may injure eye tissue if not removed promptly.

Skin Contact

Frequent or prolonged contact may irritate and cause dermatitis.

Inhalation

High vapor concentrations may be irritating to eyes and respiratory tract.

Ingestion

Ingestion may cause gastrointestinal discomfort.

Sign and Symptoms

Irritation as noted above. Nausea, vomiting, lethargy, or diarrhea.

Aggravated Medical Conditions

N/A

SECTION IV

OCCUPATIONAL EXPOSURE LIMITS

N/A

SECTION V

EMERGENCY AND FIRST AID PROCEDURES

Eye Contact

Flush eyes with plenty of water for 15 minutes while holding eyelids open. If irritation persists call physician.

Skin Contact

Remove contaminated clothing/shoes. Flush skin with water. Follow by washing with soap and water. If irritation occurs, get medical attention. Do not reuse clothing until cleaned.

Inhalation

SCL STERLING

THIN-X LATEX PAINT THINNER

Page 2

0806

Remove victim to fresh air and provide oxygen if breathing is difficult. Give artificial respiration if not breathing.

Ingestion

Rinse mouth and dilute stomach content with water. Induce vomiting, call physician at once.

SECTION VI**SUPPLEMENTAL HEALTH INFORMATION**

N/A

SECTION VII**PHYSICAL DATA**

Boiling Point:

(DEG F) 212

Specific Gravity:

(H2O=1) 8.4

Vapor Pressure:

N/A (MM HG)

Melting Point:

(DEG F) N/A

Solubility:

(In Water) Yes

Vapor Density:

N/A (AIR-1)

Evaporation rate (n-Butyl Acetate = 1) N/A

Appearance and odor: Water White and Mild

SECTION VIII**FIRE AND EXPLOSION HAZARDS**

Flash Point and Method:

None

Flammable Limits 1% Volume In Air

Lower: N/A

Upper: N/A

Extinguishing Media

Will not burn.

Special Fire Fighting Procedures and Precautions

Unusual Fire and Explosion Hazards

SECTION IX**REACTIVITY**

Stability:

Stable

Hazardous

Polymerization: Will not occur

Conditions and Materials to Avoid:

Hazardous Decomposition Products

SECTION X**EMPLOYEE PROTECTION**

Respiratory Protection**Protective Clothing**

Avoid contact with eyes. Wear safety glasses or goggles as appropriate. Avoid prolonged or repeated contact with skin.

Additional Protective Measures

None

SECTION XI**ENVIRONMENTAL PROTECTION**

Spill or Leak Procedures

Clean up spills with an absorbent like cat litter. Allow too completely dry, and dispose of it in your household trash.

SECTION XII**SPECIAL PRECAUTIONS**

SECTION XIII**TRANSPORTATION REQUIREMENTS**

SCL STERLING

THIN-X LATEX PAINT THINNER

Page 3

0806

Department of Transportation Classification:

N/A

D.O.T. Proper Shipping Name:

Not regulated

Other Requirements:

N/A

SECTION XIV

OTHER REGULATORY CONTROLS

SECTION XV

STATE REGULATORY INFORMATION

N/A

This information is being systematically repeated to our MSDS. It has previously been provided to you in various ways, including the MSDS. The new MSDS format is intended to provide the user with the information in a more convenient manner.

SECTION XVI

SPECIAL NOTES

The information contained herein is based on the data available to us and is believed to be correct. However SAVOGRAN makes no warranty, expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. SAVOGRAN assumes no responsibility for injury from the use of the product described herein.